

ZIKA+PREGNANCY

Californians need to know



- Only specific mosquitoes spread Zika.
- There is no vaccine to prevent or medicine to treat Zika.
- Zika can be sexually transmitted by someone who has traveled to areas with Zika.
- Zika can be passed from a pregnant woman to her fetus, which can cause certain birth defects.

Travel & pregnancy

- Pregnant? Don't travel to areas with Zika.
- Must travel? Talk to your doctor first and follow steps to prevent mosquito bites during your trip.
- If you traveled, especially if you have Zika symptoms – fever, rash, joint pain, red eyes – see your doctor right away.
- Is your partner back from traveling in a Zika area? Always use condoms during sex.



Preventing mosquito bites



- Wear long-sleeved shirts and long pants.
- Keep mosquitoes outside by using window and door screens. Drain standing water and throw away containers where mosquitoes can lay eggs in your yard.
- Use EPA-registered insect repellents. They are safe for pregnant and breastfeeding women – just follow the label instructions.
- Visit this site for a list of safe insect repellent ingredients: www.epa.gov/insect-repellents

Planning pregnancy?

- If you are thinking about getting pregnant, both you and your partner should talk to your doctor about the risk of traveling to areas with Zika virus.
- If you or your partner traveled to an area where Zika virus is spreading, talk to your doctor before getting pregnant.
- Stay informed about where Zika is spreading – these areas change. Visit this site for a map: www.cdc.gov/zika/geo/americas.html



Learn more



For more information:

Zika Hotline: 562.570.7907

Zika@longbeach.gov

www.longbeach.gov/zika