

StationID	SampleCategory	SampleDate	StartTime	LabCode	ParameterCode	AnalysisMethod	SampleType	Qualifier	Result	Units	Comments	RL	MDL	Dilution
B-5	5th Place - Beach	2018-09-26	5:50	EH	Total Coliforms	Colilert 18	Results	=	14	MPN/100ml		10	10	0.1
B-5	5th Place - Beach	2018-09-26	5:50	EH	Fecal Coliforms	Colilert 18	Results	=	13	MPN/100ml		10	10	0.1
B-5	5th Place - Beach	2018-09-26	5:50	EH	Enterococcus	Enterolert	Results	=	20	MPN/100ml		10	10	0.1
B-7	Coronado Ave - Beach	2018-09-26	6:07	EH	Total Coliforms	Colilert 18	Results	=	161	MPN/100ml		10	10	0.1
B-7	Coronado Ave - Beach	2018-09-26	6:07	EH	Fecal Coliforms	Colilert 18	Results	=	53	MPN/100ml		10	10	0.1
B-7	Coronado Ave - Beach	2018-09-26	6:07	EH	Enterococcus	Enterolert	Results	=	31	MPN/100ml		10	10	0.1
B-8	w/side of Belmont Pier	2018-09-26	6:12	EH	Total Coliforms	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-8	w/side of Belmont Pier	2018-09-26	6:12	EH	Fecal Coliforms	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-8	w/side of Belmont Pier	2018-09-26	6:12	EH	Enterococcus	Enterolert	Results	=	53	MPN/100ml		10	10	0.1
B-9	Prospect Ave - Beach	2018-09-26	6:17	EH	Total Coliforms	Colilert 18	Results	=	63	MPN/100ml		10	10	0.1
B-9	Prospect Ave - Beach	2018-09-26	6:17	EH	Fecal Coliforms	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-9	Prospect Ave - Beach	2018-09-26	6:17	EH	Enterococcus	Enterolert	Results	=	42	MPN/100ml		10	10	0.1
B-10	55th Place - Beach	2018-09-26	6:26	EH	Total Coliforms	Colilert 18	Results	=	20	MPN/100ml		10	10	0.1
B-10	55th Place - Beach	2018-09-26	6:26	EH	Fecal Coliforms	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-10	55th Place - Beach	2018-09-26	6:26	EH	Enterococcus	Enterolert	Results	=	20	MPN/100ml		10	10	0.1
B-11	72nd Place - Beach	2018-09-26	6:33	EH	Total Coliforms	Colilert 18	Results	=	51	MPN/100ml		10	10	0.1
B-11	72nd Place - Beach	2018-09-26	6:33	EH	Fecal Coliforms	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-11	72nd Place - Beach	2018-09-26	6:33	EH	Enterococcus	Enterolert	Results	=	10	MPN/100ml		10	10	0.1
B-56	10th Place - Beach	2018-09-26	5:55	EH	Total Coliforms	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-56	10th Place - Beach	2018-09-26	5:55	EH	Fecal Coliforms	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-56	10th Place - Beach	2018-09-26	5:55	EH	Enterococcus	Enterolert	Results	<	10	MPN/100ml		10	10	0.1
B-60	Molino Ave. - Beach	2018-09-26	6:00	EH	Total Coliforms	Colilert 18	Results	=	31	MPN/100ml		10	10	0.1
B-60	Molino Ave. - Beach	2018-09-26	6:00	EH	Fecal Coliforms	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-60	Molino Ave. - Beach	2018-09-26	6:00	EH	Enterococcus	Enterolert	Results	<	10	MPN/100ml		10	10	0.1
B-64	Granada Ave. - Beach	2018-09-26	6:22	EH	Total Coliforms	Colilert 18	Results	=	63	MPN/100ml		10	10	0.1
B-64	Granada Ave. - Beach	2018-09-26	6:22	EH	Fecal Coliforms	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-64	Granada Ave. - Beach	2018-09-26	6:22	EH	Enterococcus	Enterolert	Results	=	10	MPN/100ml		10	10	0.1

StationID	SampleCategory	SampleDate	StartTime	LabCode	ParameterCode	AnalysisMethod	SampleType	Qualifier	Result	Units	Comments	RL	MDL	Dilution
B-5	5th Place - Beach	2018-09-25	7:19	EH	Total Coliforms	Colilert 18	Results	=	1368	MPN/100ml		10	10	0.1
B-5	5th Place - Beach	2018-09-25	7:19	EH	Fecal Coliforms	Colilert 18	Results	=	40	MPN/100ml		10	10	0.1
B-5	5th Place - Beach	2018-09-25	7:19	EH	Enterococcus	Enterolert	Results	=	20	MPN/100ml		10	10	0.1
B-7	Coronado Ave - Beach	2018-09-25	7:05	EH	Total Coliforms	Colilert 18	Results	=	10	MPN/100ml		10	10	0.1
B-7	Coronado Ave - Beach	2018-09-25	7:05	EH	Fecal Coliforms	Colilert 18	Results	=	10	MPN/100ml		10	10	0.1
B-7	Coronado Ave - Beach	2018-09-25	7:05	EH	Enterococcus	Enterolert	Results	<	10	MPN/100ml		10	10	0.1
B-8	w/side of Belmont Pier	2018-09-25	6:58	EH	Total Coliforms	Colilert 18	Results	=	31	MPN/100ml		10	10	0.1
B-8	w/side of Belmont Pier	2018-09-25	6:58	EH	Fecal Coliforms	Colilert 18	Results	=	31	MPN/100ml		10	10	0.1
B-8	w/side of Belmont Pier	2018-09-25	6:58	EH	Enterococcus	Enterolert	Results	=	87	MPN/100ml		10	10	0.1
B-9	Prospect Ave - Beach	2018-09-25	6:50	EH	Total Coliforms	Colilert 18	Results	=	160	MPN/100ml		10	10	0.1
B-9	Prospect Ave - Beach	2018-09-25	6:50	EH	Fecal Coliforms	Colilert 18	Results	=	40	MPN/100ml		10	10	0.1
B-9	Prospect Ave - Beach	2018-09-25	6:50	EH	Enterococcus	Enterolert	Results	=	31	MPN/100ml		10	10	0.1
B-10	55th Place - Beach	2018-09-25	6:37	EH	Total Coliforms	Colilert 18	Results	=	50	MPN/100ml		10	10	0.1
B-10	55th Place - Beach	2018-09-25	6:37	EH	Fecal Coliforms	Colilert 18	Results	=	13	MPN/100ml		10	10	0.1
B-10	55th Place - Beach	2018-09-25	6:37	EH	Enterococcus	Enterolert	Results	=	10	MPN/100ml		10	10	0.1
B-11	72nd Place - Beach	2018-09-25	6:27	EH	Total Coliforms	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-11	72nd Place - Beach	2018-09-25	6:27	EH	Fecal Coliforms	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-11	72nd Place - Beach	2018-09-25	6:27	EH	Enterococcus	Enterolert	Results	=	31	MPN/100ml		10	10	0.1
B-56	10th Place - Beach	2018-09-25	7:15	EH	Total Coliforms	Colilert 18	Results	=	96	MPN/100ml		10	10	0.1
B-56	10th Place - Beach	2018-09-25	7:15	EH	Fecal Coliforms	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-56	10th Place - Beach	2018-09-25	7:15	EH	Enterococcus	Enterolert	Results	=	42	MPN/100ml		10	10	0.1
B-60	Molino Ave. - Beach	2018-09-25	7:09	EH	Total Coliforms	Colilert 18	Results	=	51	MPN/100ml		10	10	0.1
B-60	Molino Ave. - Beach	2018-09-25	7:09	EH	Fecal Coliforms	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-60	Molino Ave. - Beach	2018-09-25	7:09	EH	Enterococcus	Enterolert	Results	=	20	MPN/100ml		10	10	0.1
B-64	Granada Ave. - Beach	2018-09-25	6:44	EH	Total Coliforms	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-64	Granada Ave. - Beach	2018-09-25	6:44	EH	Fecal Coliforms	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-64	Granada Ave. - Beach	2018-09-25	6:44	EH	Enterococcus	Enterolert	Results	=	10	MPN/100ml		10	10	0.1

StationID	SampleCategory	SampleDate	StartTime	LabCod	ParameterCode	AnalysisMethod	SampleTyp	Qualifier	Result	Units	Comments	RL	MDL	Dilution
B-5	5th Place - Beach	2018-09-24	7:43	EH	Total Coliforms	Colilert 18	Results	=	489	MPN/100ml		10	10	0.1
B-5	5th Place - Beach	2018-09-24	7:43	EH	Fecal Coliforms	Colilert 18	Results	=	13	MPN/100ml		10	10	0.1
B-5	5th Place - Beach	2018-09-24	7:43	EH	Enterococcus	Enterolert	Results	=	31	MPN/100ml		10	10	0.1
B-7	Coronado Ave - Beach	2018-09-24	7:21	EH	Total Coliforms	Colilert 18	Results	=	1043	MPN/100ml		10	10	0.1
B-7	Coronado Ave - Beach	2018-09-24	7:21	EH	Fecal Coliforms	Colilert 18	Results	=	940	MPN/100ml		10	10	0.1
B-7	Coronado Ave - Beach	2018-09-24	7:21	EH	Enterococcus	Enterolert	Results	=	288	MPN/100ml		10	10	0.1
B-8	w/side of Belmont Pier	2018-09-24	7:17	EH	Total Coliforms	Colilert 18	Results	=	10	MPN/100ml		10	10	0.1
B-8	w/side of Belmont Pier	2018-09-24	7:17	EH	Fecal Coliforms	Colilert 18	Results	=	10	MPN/100ml		10	10	0.1
B-8	w/side of Belmont Pier	2018-09-24	7:17	EH	Enterococcus	Enterolert	Results	=	10	MPN/100ml		10	10	0.1
B-9	Prospect Ave - Beach	2018-09-24	7:13	EH	Total Coliforms	Colilert 18	Results	=	62	MPN/100ml		10	10	0.1
B-9	Prospect Ave - Beach	2018-09-24	7:13	EH	Fecal Coliforms	Colilert 18	Results	=	13	MPN/100ml		10	10	0.1
B-9	Prospect Ave - Beach	2018-09-24	7:13	EH	Enterococcus	Enterolert	Results	=	20	MPN/100ml		10	10	0.1
B-10	55th Place - Beach	2018-09-24	7:00	EH	Total Coliforms	Colilert 18	Results	=	52	MPN/100ml		10	10	0.1
B-10	55th Place - Beach	2018-09-24	7:00	EH	Fecal Coliforms	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-10	55th Place - Beach	2018-09-24	7:00	EH	Enterococcus	Enterolert	Results	=	31	MPN/100ml		10	10	0.1
B-11	72nd Place - Beach	2018-09-24	6:50	EH	Total Coliforms	Colilert 18	Results	=	10	MPN/100ml		10	10	0.1
B-11	72nd Place - Beach	2018-09-24	6:50	EH	Fecal Coliforms	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-11	72nd Place - Beach	2018-09-24	6:50	EH	Enterococcus	Enterolert	Results	=	20	MPN/100ml		10	10	0.1
B-14	Alamitos-Bayshore Float	2018-09-24	6:35	EH	Total Coliforms	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-14	Alamitos-Bayshore Float	2018-09-24	6:35	EH	Fecal Coliforms	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-14	Alamitos-Bayshore Float	2018-09-24	6:35	EH	Enterococcus	Enterolert	Results	<	10	MPN/100ml		10	10	0.1
B-22	Mother's Beach	2018-09-24	6:22	EH	Total Coliforms	Colilert 18	Results	=	10	MPN/100ml		10	10	0.1
B-22	Mother's Beach	2018-09-24	6:22	EH	Fecal Coliforms	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-22	Mother's Beach	2018-09-24	6:22	EH	Enterococcus	Enterolert	Results	<	10	MPN/100ml		10	10	0.1
B-24	Colorado Lagoon - West	2018-09-24	6:14	EH	Total Coliforms	Colilert 18	Results	=	173	MPN/100ml		10	10	0.1
B-24	Colorado Lagoon - West	2018-09-24	6:14	EH	Fecal Coliforms	Colilert 18	Results	=	13	MPN/100ml		10	10	0.1
B-24	Colorado Lagoon - West	2018-09-24	6:14	EH	Enterococcus	Enterolert	Results	<	10	MPN/100ml		10	10	0.1
B-25	Colorado Lagoon - East	2018-09-24	6:10	EH	Total Coliforms	Colilert 18	Results	=	981	MPN/100ml		10	10	0.1
B-25	Colorado Lagoon - East	2018-09-24	6:10	EH	Fecal Coliforms	Colilert 18	Results	=	13	MPN/100ml		10	10	0.1
B-25	Colorado Lagoon - East	2018-09-24	6:10	EH	Enterococcus	Enterolert	Results	=	10	MPN/100ml		10	10	0.1
B-31	56th Place - on Bayside	2018-09-24	6:42	EH	Total Coliforms	Colilert 18	Results	=	51	MPN/100ml		10	10	0.1
B-31	56th Place - on Bayside	2018-09-24	6:42	EH	Fecal Coliforms	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-31	56th Place - on Bayside	2018-09-24	6:42	EH	Enterococcus	Enterolert	Results	<	10	MPN/100ml		10	10	0.1
B-56	10th Place - Beach	2018-09-24	7:37	EH	Total Coliforms	Colilert 18	Results	=	30	MPN/100ml		10	10	0.1
B-56	10th Place - Beach	2018-09-24	7:37	EH	Fecal Coliforms	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-56	10th Place - Beach	2018-09-24	7:37	EH	Enterococcus	Enterolert	Results	<	10	MPN/100ml		10	10	0.1
B-60	Molino Ave - Beach	2018-09-24	7:27	EH	Total Coliforms	Colilert 18	Results	=	20	MPN/100ml		10	10	0.1
B-60	Molino Ave - Beach	2018-09-24	7:27	EH	Fecal Coliforms	Colilert 18	Results	=	13	MPN/100ml		10	10	0.1
B-60	Molino Ave - Beach	2018-09-24	7:27	EH	Enterococcus	Enterolert	Results	=	10	MPN/100ml		10	10	0.1
B-64	Granada Ave - Beach	2018-09-24	7:05	EH	Total Coliforms	Colilert 18	Results	=	63	MPN/100ml		10	10	0.1
B-64	Granada Ave - Beach	2018-09-24	7:05	EH	Fecal Coliforms	Colilert 18	Results	=	53	MPN/100ml		10	10	0.1
B-64	Granada Ave - Beach	2018-09-24	7:05	EH	Enterococcus	Enterolert	Results	=	31	MPN/100ml		10	10	0.1
B-67	2nd St Bridge & Bayshore	2018-09-24	6:30	EH	Total Coliforms	Colilert 18	Results	=	96	MPN/100ml		10	10	0.1
B-67	2nd St Bridge & Bayshore	2018-09-24	6:30	EH	Fecal Coliforms	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-67	2nd St Bridge & Bayshore	2018-09-24	6:30	EH	Enterococcus	Enterolert	Results	<	10	MPN/100ml		10	10	0.1



StationID	SampleCategory	SampleDate	StartTime	LabCode	ParameterCode	AnalysisMethod	SampleType	Qualifier	Result	Units	Comments	RL	MDL	Dilution
B-5		2018-09-18	7:20	EH	Total Coliforms	Colilert 18	Results	<	10	MPN/100ml				0.1
B-5		2018-09-18	7:20	EH	Fecal Coliforms	Colilert 18	Results	<	10	MPN/100ml				0.1
B-5		2018-09-18	7:20	EH	Enterococcus	Enterolert	Results	<	10	MPN/100ml				0.1
B-7		2018-09-18	7:03	EH	Total Coliforms	Colilert 18	Results	=	121	MPN/100ml				0.1
B-7		2018-09-18	7:03	EH	Fecal Coliforms	Colilert 18	Results	=	68	MPN/100ml				0.1
B-7		2018-09-18	7:03	EH	Enterococcus	Enterolert	Results	=	87	MPN/100ml				0.1
B-8		2018-09-18	6:59	EH	Total Coliforms	Colilert 18	Results	=	52	MPN/100ml				0.1
B-8		2018-09-18	6:59	EH	Fecal Coliforms	Colilert 18	Results	<	10	MPN/100ml				0.1
B-8		2018-09-18	6:59	EH	Enterococcus	Enterolert	Results	<	10	MPN/100ml				0.1
B-9		2018-09-18	6:53	EH	Total Coliforms	Colilert 18	Results	=	105	MPN/100ml				0.1
B-9		2018-09-18	6:53	EH	Fecal Coliforms	Colilert 18	Results	=	26	MPN/100ml				0.1
B-9		2018-09-18	6:53	EH	Enterococcus	Enterolert	Results	=	10	MPN/100ml				0.1
B-10		2018-09-18	6:36	EH	Total Coliforms	Colilert 18	Results	=	63	MPN/100ml				0.1
B-10		2018-09-18	6:36	EH	Fecal Coliforms	Colilert 18	Results	=	13	MPN/100ml				0.1
B-10		2018-09-18	6:36	EH	Enterococcus	Enterolert	Results	=	10	MPN/100ml				0.1
B-11		2018-09-18	6:28	EH	Total Coliforms	Colilert 18	Results	=	96	MPN/100ml				0.1
B-11		2018-09-18	6:28	EH	Fecal Coliforms	Colilert 18	Results	<	10	MPN/100ml				0.1
B-11		2018-09-18	6:28	EH	Enterococcus	Enterolert	Results	=	53	MPN/100ml				0.1
B-22		2018-09-18	10:00	EH	Total Coliforms	Colilert 18	Results	<	10	MPN/100ml				0.1
B-22		2018-09-18	10:00	EH	Fecal Coliforms	Colilert 18	Results	<	10	MPN/100ml				0.1
B-22		2018-09-18	10:00	EH	Enterococcus	Enterolert	Results	<	10	MPN/100ml				0.1
B-56		2018-09-18	7:15	EH	Total Coliforms	Colilert 18	Results	=	10	MPN/100ml				0.1
B-56		2018-09-18	7:15	EH	Fecal Coliforms	Colilert 18	Results	<	10	MPN/100ml				0.1
B-56		2018-09-18	7:15	EH	Enterococcus	Enterolert	Results	<	10	MPN/100ml				0.1
B-60		2018-09-18	7:08	EH	Total Coliforms	Colilert 18	Results	=	31	MPN/100ml				0.1
B-60		2018-09-18	7:08	EH	Fecal Coliforms	Colilert 18	Results	=	31	MPN/100ml				0.1
B-60		2018-09-18	7:08	EH	Enterococcus	Enterolert	Results	<	10	MPN/100ml				0.1
B-64		2018-09-18	6:48	EH	Total Coliforms	Colilert 18	Results	<	10	MPN/100ml				0.1
B-64		2018-09-18	6:48	EH	Fecal Coliforms	Colilert 18	Results	<	10	MPN/100ml				0.1
B-64		2018-09-18	6:48	EH	Enterococcus	Enterolert	Results	<	10	MPN/100ml				0.1

StationID	SampleCategory	SampleDate	StartTime	LabCod	ParameterCode	AnalysisMethod	SampleType	Qualifier	Result	Units	Comments	RL	MDL	Dilution
B-5	5th Place - Beach	2018-09-17	7:49	EH	Total Coliforms	Colilert 18	Results	=	173	MPN/100ml		10	10	0.1
B-5	5th Place - Beach	2018-09-17	7:49	EH	Fecal Coliforms	Colilert 18	Results	=	13	MPN/100ml		10	10	0.1
B-5	5th Place - Beach	2018-09-17	7:49	EH	Enterococcus	Enterolert	Results	<	10	MPN/100ml		10	10	0.1
B-7	Coronado Ave - Beach	2018-09-17	7:32	EH	Total Coliforms	Colilert 18	Results	=	708	MPN/100ml		10	10	0.1
B-7	Coronado Ave - Beach	2018-09-17	7:32	EH	Fecal Coliforms	Colilert 18	Results	=	13	MPN/100ml		10	10	0.1
B-7	Coronado Ave - Beach	2018-09-17	7:32	EH	Enterococcus	Enterolert	Results	<	10	MPN/100ml		10	10	0.1
B-8	w/side of Belmont Pier	2018-09-17	7:27	EH	Total Coliforms	Colilert 18	Results	=	20	MPN/100ml		10	10	0.1
B-8	w/side of Belmont Pier	2018-09-17	7:27	EH	Fecal Coliforms	Colilert 18	Results	=	20	MPN/100ml		10	10	0.1
B-8	w/side of Belmont Pier	2018-09-17	7:27	EH	Enterococcus	Enterolert	Results	<	10	MPN/100ml		10	10	0.1
B-9	Prospect Ave - Beach	2018-09-17	7:22	EH	Total Coliforms	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-9	Prospect Ave - Beach	2018-09-17	7:22	EH	Fecal Coliforms	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-9	Prospect Ave - Beach	2018-09-17	7:22	EH	Enterococcus	Enterolert	Results	<	10	MPN/100ml		10	10	0.1
B-10	55th Place - Beach	2018-09-17	7:11	EH	Total Coliforms	Colilert 18	Results	=	10	MPN/100ml		10	10	0.1
B-10	55th Place - Beach	2018-09-17	7:11	EH	Fecal Coliforms	Colilert 18	Results	=	10	MPN/100ml		10	10	0.1
B-10	55th Place - Beach	2018-09-17	7:11	EH	Enterococcus	Enterolert	Results	=	20	MPN/100ml		10	10	0.1
B-11	72nd Place - Beach	2018-09-17	7:05	EH	Total Coliforms	Colilert 18	Results	=	83	MPN/100ml		10	10	0.1
B-11	72nd Place - Beach	2018-09-17	7:05	EH	Fecal Coliforms	Colilert 18	Results	=	13	MPN/100ml		10	10	0.1
B-11	72nd Place - Beach	2018-09-17	7:05	EH	Enterococcus	Enterolert	Results	=	87	MPN/100ml		10	10	0.1
B-14	Alamitos-Bayshore Float	2018-09-17	6:52	EH	Total Coliforms	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-14	Alamitos-Bayshore Float	2018-09-17	6:52	EH	Fecal Coliforms	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-14	Alamitos-Bayshore Float	2018-09-17	6:52	EH	Enterococcus	Enterolert	Results	<	10	MPN/100ml		10	10	0.1
B-22	Mother's Beach	2018-09-17	6:36	EH	Total Coliforms	Colilert 18	Results	=	20	MPN/100ml		10	10	0.1
B-22	Mother's Beach	2018-09-17	6:36	EH	Fecal Coliforms	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-22	Mother's Beach	2018-09-17	6:36	EH	Enterococcus	Enterolert	Results	=	164	MPN/100ml		10	10	0.1
B-24	Colorado Lagoon - West	2018-09-17	6:29	EH	Total Coliforms	Colilert 18	Results	=	729	MPN/100ml		10	10	0.1
B-24	Colorado Lagoon - West	2018-09-17	6:29	EH	Fecal Coliforms	Colilert 18	Results	=	125	MPN/100ml		10	10	0.1
B-24	Colorado Lagoon - West	2018-09-17	6:29	EH	Enterococcus	Enterolert	Results	=	10	MPN/100ml		10	10	0.1
B-25	Colorado Lagoon - East	2018-09-17	6:26	EH	Total Coliforms	Colilert 18	Results	=	216	MPN/100ml		10	10	0.1
B-25	Colorado Lagoon - East	2018-09-17	6:26	EH	Fecal Coliforms	Colilert 18	Results	=	26	MPN/100ml		10	10	0.1
B-25	Colorado Lagoon - East	2018-09-17	6:26	EH	Enterococcus	Enterolert	Results	<	10	MPN/100ml		10	10	0.1
B-31	56th Place - on Bayside	2018-09-17	6:58	EH	Total Coliforms	Colilert 18	Results	=	31	MPN/100ml		10	10	0.1
B-31	56th Place - on Bayside	2018-09-17	6:58	EH	Fecal Coliforms	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-31	56th Place - on Bayside	2018-09-17	6:58	EH	Enterococcus	Enterolert	Results	<	10	MPN/100ml		10	10	0.1
B-56	10th Place - Beach	2018-09-17	7:45	EH	Total Coliforms	Colilert 18	Results	=	63	MPN/100ml		10	10	0.1
B-56	10th Place - Beach	2018-09-17	7:45	EH	Fecal Coliforms	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-56	10th Place - Beach	2018-09-17	7:45	EH	Enterococcus	Enterolert	Results	<	10	MPN/100ml		10	10	0.1
B-60	Molino Ave - Beach	2018-09-17	7:38	EH	Total Coliforms	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-60	Molino Ave - Beach	2018-09-17	7:38	EH	Fecal Coliforms	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-60	Molino Ave - Beach	2018-09-17	7:38	EH	Enterococcus	Enterolert	Results	<	10	MPN/100ml		10	10	0.1
B-64	Granada Ave - Beach	2018-09-17	7:16	EH	Total Coliforms	Colilert 18	Results	=	86	MPN/100ml		10	10	0.1
B-64	Granada Ave - Beach	2018-09-17	7:16	EH	Fecal Coliforms	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-64	Granada Ave - Beach	2018-09-17	7:16	EH	Enterococcus	Enterolert	Results	<	10	MPN/100ml		10	10	0.1
B-67	2nd St Bridge & Bayshore	2018-09-17	6:45	EH	Total Coliforms	Colilert 18	Results	=	97	MPN/100ml		10	10	0.1
B-67	2nd St Bridge & Bayshore	2018-09-17	6:45	EH	Fecal Coliforms	Colilert 18	Results	=	53	MPN/100ml		10	10	0.1
B-67	2nd St Bridge & Bayshore	2018-09-17	6:45	EH	Enterococcus	Enterolert	Results	<	10	MPN/100ml		10	10	0.1

StationID	SampleCat	SampleDate	StartTime	LabCode	ParameterCode	AnalysisM	SampleTyp	Qualifier	Result	Units	Comments	RL	MDL	Dilution
B-5		2018-09-11	7:10	EH	Total Coliforms	Colilert 18	Results	=	189	MPN/100ml				0.1
B-5		2018-09-11	7:10	EH	Fecal Coliforms	Colilert 18	Results	=	53	MPN/100ml				0.1
B-5		2018-09-11	7:10	EH	Enterococcus	Enterolert	Results	=	20	MPN/100ml				0.1
B-7		2018-09-11	6:56	EH	Total Coliforms	Colilert 18	Results	=	52	MPN/100ml				0.1
B-7		2018-09-11	6:56	EH	Fecal Coliforms	Colilert 18	Results	<	10	MPN/100ml				0.1
B-7		2018-09-11	6:56	EH	Enterococcus	Enterolert	Results	=	164	MPN/100ml				0.1
B-8		2018-09-11	6:52	EH	Total Coliforms	Colilert 18	Results	=	155	MPN/100ml				0.1
B-8		2018-09-11	6:52	EH	Fecal Coliforms	Colilert 18	Results	=	155	MPN/100ml				0.1
B-8		2018-09-11	6:52	EH	Enterococcus	Enterolert	Results	=	175	MPN/100ml				0.1
B-9		2018-09-11	6:49	EH	Total Coliforms	Colilert 18	Results	=	63	MPN/100ml				0.1
B-9		2018-09-11	6:49	EH	Fecal Coliforms	Colilert 18	Results	=	26	MPN/100ml				0.1
B-9		2018-09-11	6:49	EH	Enterococcus	Enterolert	Results	=	20	MPN/100ml				0.1
B-10		2018-09-11	6:39	EH	Total Coliforms	Colilert 18	Results	=	52	MPN/100ml				0.1
B-10		2018-09-11	6:39	EH	Fecal Coliforms	Colilert 18	Results	=	26	MPN/100ml				0.1
B-10		2018-09-11	6:39	EH	Enterococcus	Enterolert	Results	=	53	MPN/100ml				0.1
B-11		2018-09-11	6:29	EH	Total Coliforms	Colilert 18	Results	<	10	MPN/100ml				0.1
B-11		2018-09-11	6:29	EH	Fecal Coliforms	Colilert 18	Results	<	10	MPN/100ml				0.1
B-11		2018-09-11	6:29	EH	Enterococcus	Enterolert	Results	<	10	MPN/100ml				0.1
B-56		2018-09-11	7:05	EH	Total Coliforms	Colilert 18	Results	=	63	MPN/100ml				0.1
B-56		2018-09-11	7:05	EH	Fecal Coliforms	Colilert 18	Results	=	13	MPN/100ml				0.1
B-56		2018-09-11	7:05	EH	Enterococcus	Enterolert	Results	<	10	MPN/100ml				0.1
B-60		2018-09-11	7:00	EH	Total Coliforms	Colilert 18	Results	=	132	MPN/100ml				0.1
B-60		2018-09-11	7:00	EH	Fecal Coliforms	Colilert 18	Results	=	96	MPN/100ml				0.1
B-60		2018-09-11	7:00	EH	Enterococcus	Enterolert	Results	=	20	MPN/100ml				0.1
B-64		2018-09-11	6:44	EH	Total Coliforms	Colilert 18	Results	=	10	MPN/100ml				0.1
B-64		2018-09-11	6:44	EH	Fecal Coliforms	Colilert 18	Results	=	10	MPN/100ml				0.1
B-64		2018-09-11	6:44	EH	Enterococcus	Enterolert	Results	=	42	MPN/100ml				0.1
B-24		2018-09-11	11:27	EH	Total Coliforms	Colilert 18	Results	=	85	MPN/100ml				0.1
B-24		2018-09-11	11:27	EH	Fecal Coliforms	Colilert 18	Results	<	10	MPN/100ml				0.1
B-24		2018-09-11	11:27	EH	Enterococcus	Enterolert	Results	<	10	MPN/100ml				0.1

StationID	SampleCat	SampleDate	StartTime	LabCode	ParameterCode	AnalysisMet	SampleTyp	Qualifier	Result	Units	Comments	RL	MDL	Dilution
B-5		2018-09-10	7:52	EH	Total Coliforms	Colilert 18	Results	=	452	MPN/100ml				0.1
B-5		2018-09-10	7:52	EH	Fecal Coliforms	Colilert 18	Results	=	68	MPN/100ml				0.1
B-5		2018-09-10	7:52	EH	Enterococcus	Enterolert	Results	=	20	MPN/100ml				0.1
B-7		2018-09-10	7:37	EH	Total Coliforms	Colilert 18	Results	=	862	MPN/100ml				0.1
B-7		2018-09-10	7:37	EH	Fecal Coliforms	Colilert 18	Results	=	732	MPN/100ml				0.1
B-7		2018-09-10	7:37	EH	Enterococcus	Enterolert	Results	=	238	MPN/100ml				0.1
B-8		2018-09-10	7:32	EH	Total Coliforms	Colilert 18	Results	=	437	MPN/100ml				0.1
B-8		2018-09-10	7:32	EH	Fecal Coliforms	Colilert 18	Results	=	170	MPN/100ml				0.1
B-8		2018-09-10	7:32	EH	Enterococcus	Enterolert	Results	=	271	MPN/100ml				0.1
B-9		2018-09-10	7:26	EH	Total Coliforms	Colilert 18	Results	=	141	MPN/100ml				0.1
B-9		2018-09-10	7:26	EH	Fecal Coliforms	Colilert 18	Results	=	40	MPN/100ml				0.1
B-9		2018-09-10	7:26	EH	Enterococcus	Enterolert	Results	=	178	MPN/100ml				0.1
B-10		2018-09-10	7:12	EH	Total Coliforms	Colilert 18	Results	=	52	MPN/100ml				0.1
B-10		2018-09-10	7:12	EH	Fecal Coliforms	Colilert 18	Results	=	13	MPN/100ml				0.1
B-10		2018-09-10	7:12	EH	Enterococcus	Enterolert	Results	<	10	MPN/100ml				0.1
B-11		2018-09-10	6:59	EH	Total Coliforms	Colilert 18	Results	=	41	MPN/100ml				0.1
B-11		2018-09-10	6:59	EH	Fecal Coliforms	Colilert 18	Results	<	10	MPN/100ml				0.1
B-11		2018-09-10	6:59	EH	Enterococcus	Enterolert	Results	<	10	MPN/100ml				0.1
B-14		2018-09-10	6:52	EH	Total Coliforms	Colilert 18	Results	=	75	MPN/100ml				0.1
B-14		2018-09-10	6:52	EH	Fecal Coliforms	Colilert 18	Results	=	26	MPN/100ml				0.1
B-14		2018-09-10	6:52	EH	Enterococcus	Enterolert	Results	<	10	MPN/100ml				0.1
B-22		2018-09-10	6:30	EH	Total Coliforms	Colilert 18	Results	=	249	MPN/100ml				0.1
B-22		2018-09-10	6:30	EH	Fecal Coliforms	Colilert 18	Results	=	159	MPN/100ml				0.1
B-22		2018-09-10	6:30	EH	Enterococcus	Enterolert	Results	<	10	MPN/100ml				0.1
B-24		2018-09-10	6:22	EH	Total Coliforms	Colilert 18	Results	=	3044	MPN/100ml				0.1
B-24		2018-09-10	6:22	EH	Fecal Coliforms	Colilert 18	Results	=	313	MPN/100ml				0.1
B-24		2018-09-10	6:22	EH	Enterococcus	Enterolert	Results	<	10	MPN/100ml				0.1
B-25		2018-09-10	6:18	EH	Total Coliforms	Colilert 18	Results	=	2851	MPN/100ml				0.1
B-25		2018-09-10	6:18	EH	Fecal Coliforms	Colilert 18	Results	=	39	MPN/100ml				0.1
B-25		2018-09-10	6:18	EH	Enterococcus	Enterolert	Results	=	53	MPN/100ml				0.1
B-31		2018-09-10	6:53	EH	Total Coliforms	Colilert 18	Results	=	256	MPN/100ml				0.1
B-31		2018-09-10	6:53	EH	Fecal Coliforms	Colilert 18	Results	=	53	MPN/100ml				0.1
B-31		2018-09-10	6:53	EH	Enterococcus	Enterolert	Results	<	10	MPN/100ml				0.1
B-56		2018-09-10	7:47	EH	Total Coliforms	Colilert 18	Results	=	132	MPN/100ml				0.1
B-56		2018-09-10	7:47	EH	Fecal Coliforms	Colilert 18	Results	=	40	MPN/100ml				0.1
B-56		2018-09-10	7:47	EH	Enterococcus	Enterolert	Results	=	53	MPN/100ml				0.1
B-60		2018-09-10	7:42	EH	Total Coliforms	Colilert 18	Results	=	73	MPN/100ml				0.1
B-60		2018-09-10	7:42	EH	Fecal Coliforms	Colilert 18	Results	=	40	MPN/100ml				0.1
B-60		2018-09-10	7:42	EH	Enterococcus	Enterolert	Results	=	64	MPN/100ml				0.1
B-64		2018-09-10	7:17	EH	Total Coliforms	Colilert 18	Results	=	86	MPN/100ml				0.1

B-64		2018-09-10	7:17	EH	Fecal Coliforms	Colilert 18	Results	=	86	MPN/100ml			0.1
B-64		2018-09-10	7:17	EH	Enterococcus	Enterolert	Results	=	20	MPN/100ml			0.1
B-67		2018-09-10	6:40	EH	Total Coliforms	Colilert 18	Results	=	183	MPN/100ml			0.1
B-67		2018-09-10	6:40	EH	Fecal Coliforms	Colilert 18	Results	=	142	MPN/100ml			0.1
B-67		2018-09-10	6:40	EH	Enterococcus	Enterolert	Results	=	10	MPN/100ml			0.1

StationID	SampleCat	SampleDate	StartTime	LabCode	ParameterCode	AnalysisM	SampleTyp	Qualifier	Result	Units	Comments	RL	MDL	Dilution
B-5		2018-09-06	5:53	EH	Total Coliforms	Colilert 18	Results	=	63	MPN/100ml				0.1
B-5		2018-09-06	5:53	EH	Fecal Coliforms	Colilert 18	Results	=	13	MPN/100ml				0.1
B-5		2018-09-06	5:53	EH	Enterococcus	Enterolert	Results	=	20	MPN/100ml				0.1
B-7		2018-09-06	6:07	EH	Total Coliforms	Colilert 18	Results	=	602	MPN/100ml				0.1
B-7		2018-09-06	6:07	EH	Fecal Coliforms	Colilert 18	Results	=	519	MPN/100ml				0.1
B-7		2018-09-06	6:07	EH	Enterococcus	Enterolert	Results	=	478	MPN/100ml				0.1
B-8		2018-09-06	6:11	EH	Total Coliforms	Colilert 18	Results	=	86	MPN/100ml				0.1
B-8		2018-09-06	6:11	EH	Fecal Coliforms	Colilert 18	Results	<	10	MPN/100ml				0.1
B-8		2018-09-06	6:11	EH	Enterococcus	Enterolert	Results	=	53	MPN/100ml				0.1
B-9		2018-09-06	6:15	EH	Total Coliforms	Colilert 18	Results	=	148	MPN/100ml				0.1
B-9		2018-09-06	6:15	EH	Fecal Coliforms	Colilert 18	Results	=	82	MPN/100ml				0.1
B-9		2018-09-06	6:15	EH	Enterococcus	Enterolert	Results	=	87	MPN/100ml				0.1
B-10		2018-09-06	6:26	EH	Total Coliforms	Colilert 18	Results	=	97	MPN/100ml				0.1
B-10		2018-09-06	6:26	EH	Fecal Coliforms	Colilert 18	Results	=	13	MPN/100ml				0.1
B-10		2018-09-06	6:26	EH	Enterococcus	Enterolert	Results	<	10	MPN/100ml				0.1
B-11		2018-09-06	6:33	EH	Total Coliforms	Colilert 18	Results	=	31	MPN/100ml				0.1
B-11		2018-09-06	6:33	EH	Fecal Coliforms	Colilert 18	Results	<	10	MPN/100ml				0.1
B-11		2018-09-06	6:33	EH	Enterococcus	Enterolert	Results	<	10	MPN/100ml				0.1
B-56		2018-09-06	5:57	EH	Total Coliforms	Colilert 18	Results	=	132	MPN/100ml				0.1
B-56		2018-09-06	5:57	EH	Fecal Coliforms	Colilert 18	Results	=	39	MPN/100ml				0.1
B-56		2018-09-06	5:57	EH	Enterococcus	Enterolert	Results	=	31	MPN/100ml				0.1
B-60		2018-09-06	6:03	EH	Total Coliforms	Colilert 18	Results	=	119	MPN/100ml				0.1
B-60		2018-09-06	6:03	EH	Fecal Coliforms	Colilert 18	Results	=	53	MPN/100ml				0.1
B-60		2018-09-06	6:03	EH	Enterococcus	Enterolert	Results	=	20	MPN/100ml				0.1
B-64		2018-09-06	6:20	EH	Total Coliforms	Colilert 18	Results	=	52	MPN/100ml				0.1
B-64		2018-09-06	6:20	EH	Fecal Coliforms	Colilert 18	Results	=	40	MPN/100ml				0.1
B-64		2018-09-06	6:20	EH	Enterococcus	Enterolert	Results	=	137	MPN/100ml				0.1

StationID	SampleCat	SampleDate	StartTime	LabCode	Parameter	AnalysisM	SampleTyp	Qualifier	Result	Units	Comments	RL	MDL	Dilution
B-5		2018-09-05	5:55	EH	Total Colifc	Colilert 18	Results	=	242	MPN/100ml				0.1
B-5		2018-09-05	5:55	EH	Fecal Colifc	Colilert 18	Results	=	26	MPN/100ml				0.1
B-5		2018-09-05	5:55	EH	Enterococc	Enterolert	Results	=	53	MPN/100ml				0.1
B-7		2018-09-05	6:10	EH	Total Colifc	Colilert 18	Results	=	332	MPN/100ml				0.1
B-7		2018-09-05	6:10	EH	Fecal Colifc	Colilert 18	Results	=	142	MPN/100ml				0.1
B-7		2018-09-05	6:10	EH	Enterococc	Enterolert	Results	=	20	MPN/100ml				0.1
B-8		2018-09-05	6:15	EH	Total Colifc	Colilert 18	Results	=	75	MPN/100ml				0.1
B-8		2018-09-05	6:15	EH	Fecal Colifc	Colilert 18	Results	=	13	MPN/100ml				0.1
B-8		2018-09-05	6:15	EH	Enterococc	Enterolert	Results	=	42	MPN/100ml				0.1
B-9		2018-09-05	6:20	EH	Total Colifc	Colilert 18	Results	=	92	MPN/100ml				0.1
B-9		2018-09-05	6:20	EH	Fecal Colifc	Colilert 18	Results	<	10	MPN/100ml				0.1
B-9		2018-09-05	6:20	EH	Enterococc	Enterolert	Results	=	20	MPN/100ml				0.1
B-10		2018-09-05	6:30	EH	Total Colifc	Colilert 18	Results	=	51	MPN/100ml				0.1
B-10		2018-09-05	6:30	EH	Fecal Colifc	Colilert 18	Results	=	51	MPN/100ml				0.1
B-10		2018-09-05	6:30	EH	Enterococc	Enterolert	Results	=	64	MPN/100ml				0.1
B-11		2018-09-05	6:35	EH	Total Colifc	Colilert 18	Results	=	31	MPN/100ml				0.1
B-11		2018-09-05	6:35	EH	Fecal Colifc	Colilert 18	Results	=	26	MPN/100ml				0.1
B-11		2018-09-05	6:35	EH	Enterococc	Enterolert	Results	=	20	MPN/100ml				0.1
B-56		2018-09-05	8:12	EH	Total Colifc	Colilert 18	Results	=	109	MPN/100ml				0.1
B-56		2018-09-05	8:12	EH	Fecal Colifc	Colilert 18	Results	=	13	MPN/100ml				0.1
B-56		2018-09-05	8:12	EH	Enterococc	Enterolert	Results	=	20	MPN/100ml				0.1
B-60		2018-09-05	6:05	EH	Total Colifc	Colilert 18	Results	=	134	MPN/100ml				0.1
B-60		2018-09-05	6:05	EH	Fecal Colifc	Colilert 18	Results	=	26	MPN/100ml				0.1
B-60		2018-09-05	6:05	EH	Enterococc	Enterolert	Results	<	10	MPN/100ml				0.1
B-64		2018-09-05	6:25	EH	Total Colifc	Colilert 18	Results	=	134	MPN/100ml				0.1
B-64		2018-09-05	6:25	EH	Fecal Colifc	Colilert 18	Results	=	127	MPN/100ml				0.1
B-64		2018-09-05	6:25	EH	Enterococc	Enterolert	Results	<	10	MPN/100ml				0.1
B-24		2018-09-05	11:05	EH	Total Colifc	Colilert 18	Results	=	230	MPN/100ml				0.1
B-24		2018-09-05	11:05	EH	Fecal Colifc	Colilert 18	Results	<	10	MPN/100ml				0.1
B-24		2018-09-05	11:05	EH	Enterococc	Enterolert	Results	<	10	MPN/100ml				0.1

StationID	SampleCat	SampleDate	StartTime	LabCode	Parameter	AnalysisM	SampleTyp	Qualifier	Result	Units	Comments	RL	MDL	Dilution
B-5		2018-09-04	8:03	EH	Total Colifc	Colilert 18	Results	=	121	MPN/100ml		10	10	0.1
B-5		2018-09-04	8:03	EH	Fecal Colifc	Colilert 18	Results	=	40	MPN/100ml		10	10	0.1
B-5		2018-09-04	8:03	EH	Enterococc	Enterolert	Results	=	42	MPN/100ml		10	10	0.1
B-7		2018-09-04	7:43	EH	Total Colifc	Colilert 18	Results	=	31	MPN/100ml		10	10	0.1
B-7		2018-09-04	7:43	EH	Fecal Colifc	Colilert 18	Results	=	31	MPN/100ml		10	10	0.1
B-7		2018-09-04	7:43	EH	Enterococc	Enterolert	Results	<	10	MPN/100ml		10	10	0.1
B-8		2018-09-04	7:40	EH	Total Colifc	Colilert 18	Results	=	41	MPN/100ml		10	10	0.1
B-8		2018-09-04	7:40	EH	Fecal Colifc	Colilert 18	Results	=	26	MPN/100ml		10	10	0.1
B-8		2018-09-04	7:40	EH	Enterococc	Enterolert	Results	=	42	MPN/100ml		10	10	0.1
B-9		2018-09-04	7:35	EH	Total Colifc	Colilert 18	Results	=	10	MPN/100ml		10	10	0.1
B-9		2018-09-04	7:35	EH	Fecal Colifc	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-9		2018-09-04	7:35	EH	Enterococc	Enterolert	Results	=	10	MPN/100ml		10	10	0.1
B-10		2018-09-04	7:22	EH	Total Colifc	Colilert 18	Results	=	52	MPN/100ml		10	10	0.1
B-10		2018-09-04	7:22	EH	Fecal Colifc	Colilert 18	Results	=	13	MPN/100ml		10	10	0.1
B-10		2018-09-04	7:22	EH	Enterococc	Enterolert	Results	=	20	MPN/100ml		10	10	0.1
B-11		2018-09-04	7:11	EH	Total Colifc	Colilert 18	Results	=	63	MPN/100ml		10	10	0.1
B-11		2018-09-04	7:11	EH	Fecal Colifc	Colilert 18	Results	=	63	MPN/100ml		10	10	0.1
B-11		2018-09-04	7:11	EH	Enterococc	Enterolert	Results	=	164	MPN/100ml		10	10	0.1
B-14		2018-09-04	6:54	EH	Total Colifc	Colilert 18	Results	=	86	MPN/100ml		10	10	0.1
B-14		2018-09-04	6:54	EH	Fecal Colifc	Colilert 18	Results	=	26	MPN/100ml		10	10	0.1
B-14		2018-09-04	6:54	EH	Enterococc	Enterolert	Results	=	10	MPN/100ml		10	10	0.1
B-22		2018-09-04	6:38	EH	Total Colifc	Colilert 18	Results	=	305	MPN/100ml		10	10	0.1
B-22		2018-09-04	6:38	EH	Fecal Colifc	Colilert 18	Results	=	40	MPN/100ml		10	10	0.1
B-22		2018-09-04	6:38	EH	Enterococc	Enterolert	Results	<	10	MPN/100ml		10	10	0.1
B-24		2018-09-04	6:24	EH	Total Colifc	Colilert 18	Results	=	354	MPN/100ml		10	10	0.1
B-24		2018-09-04	6:24	EH	Fecal Colifc	Colilert 18	Results	=	53	MPN/100ml		10	10	0.1
B-24		2018-09-04	6:24	EH	Enterococc	Enterolert	Results	<	10	MPN/100ml		10	10	0.1
B-25		2018-09-04	6:29	EH	Total Colifc	Colilert 18	Results	=	221	MPN/100ml		10	10	0.1
B-25		2018-09-04	6:29	EH	Fecal Colifc	Colilert 18	Results	=	13	MPN/100ml		10	10	0.1
B-25		2018-09-04	6:29	EH	Enterococc	Enterolert	Results	=	124	MPN/100ml		10	10	0.1
B-31		2018-09-04	7:01	EH	Total Colifc	Colilert 18	Results	=	63	MPN/100ml		10	10	0.1
B-31		2018-09-04	7:01	EH	Fecal Colifc	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-31		2018-09-04	7:01	EH	Enterococc	Enterolert	Results	=	53	MPN/100ml		10	10	0.1
B-56		2018-09-04	7:55	EH	Total Colifc	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-56		2018-09-04	7:55	EH	Fecal Colifc	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-56		2018-09-04	7:55	EH	Enterococc	Enterolert	Results	=	10	MPN/100ml		10	10	0.1
B-60		2018-09-04	7:49	EH	Total Colifc	Colilert 18	Results	=	73	MPN/100ml		10	10	0.1
B-60		2018-09-04	7:49	EH	Fecal Colifc	Colilert 18	Results	=	13	MPN/100ml		10	10	0.1
B-60		2018-09-04	7:49	EH	Enterococc	Enterolert	Results	<	10	MPN/100ml		10	10	0.1
B-64		2018-09-04	7:30	EH	Total Colifc	Colilert 18	Results	=	52	MPN/100ml		10	10	0.1
B-64		2018-09-04	7:30	EH	Fecal Colifc	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-64		2018-09-04	7:30	EH	Enterococc	Enterolert	Results	<	10	MPN/100ml		10	10	0.1
B-67		2018-09-04	6:47	EH	Total Colifc	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-67		2018-09-04	6:47	EH	Fecal Colifc	Colilert 18	Results	<	10	MPN/100ml		10	10	0.1
B-67		2018-09-04	6:47	EH	Enterococc	Enterolert	Results	<	10	MPN/100ml		10	10	0.1