



INFORMATION BULLETIN

# IB-058

Eff: 04-23-2021 Rev: 10-1-2023

## Express Permit Service

This Information Bulletin (IB) provides an overview of the Express Permit Service for simple construction projects. The Express Permit Service offer applicants the convenience of a more expeditious issuance of a permit application. An “Express Permit” is a permit that the Building and Safety Bureau has determined does not require the submittal of construction documents (e.g., plans, calculations, reports, etc.) for plan review due to the relatively simple nature or small cost of the construction work. An Express Permit can be issued for different types of simple construction project except for those projects that are located within a Coastal Zone or a Historic District or on a qualified historical building. While plan review is not required, the issuance of an Express Permit does not permit the violation of any regulations of the Long Beach Municipal Code, California Building Standards Code and/or other local ordinances or state laws if identified during required city inspection.

The following is a standardized list of simple construction projects and the associated building type that MAY QUALIFY it for the Express Permit Service:

Description Number	EXPRESS BUILDING PERMIT	One-Family Dwelling	Two-Family Dwellings	Multi-Family Dwellings	Nonresidential Buildings
<b>B1</b>	<b>Window.</b> Replace [specify amount] existing window(s) with the same size, opening type, and location as the existing window(s). (Note: For window area > 75 sf, max. U-factor = 0.30 and max. SHGC = 0.23. For window area = 75 sf or less, max. U-factor = 0.40 and max. SHGC = 0.35”. Window(s) serving habitable room(s) shall comply with <a href="#">IB-006</a> .)	✓	✓	✓	✓
<b>B2</b>	<b>Door.</b> Replace [specify amount] existing door(s) with the same size, type and location as the existing door(s). (Note: Work does not include glass door. Exterior door shall have a max. U-factor = 0.20.)	✓	✓		
<b>B3</b>	<b>Kitchen.</b> Repair and/or replace existing kitchen [specify one or more of the following: cabinet(s), flooring, wall finishes, tile(s), counter(s), and/or plumbing/electrical fixture(s)] with the same size, type and location. No change(s) in wall(s) or opening(s) is(are) permitted. No change to the floor or kitchen layout. No penetration or relocation for new plumbing or electrical fixture(s), equipment or outlet(s) into existing wall(s) is(are) allowed.	✓	✓		
<b>B4</b>	<b>Bathroom.</b> Repair and/or replace existing bathroom cabinet(s), flooring, wall finishes, tile(s), counter(s), and/or plumbing/electrical fixture(s) only. No change in wall(s) or opening(s) is(are) permitted and no penetration of new plumbing or electrical fixture(s) into existing wall(s) is(are) allowed. (Note: Comply with <a href="#">IB-056</a> .)	✓	✓		
<b>B5</b>	<b>Drywall/Plaster.</b> Repair and/or replace existing interior drywall or plaster for non-structural purpose only. Limit total area of repair/replacement to a max. 10% of the existing building’s interior wall(s)/ceiling(s).	✓	✓		

<b>B6</b>	<b>Foundation Seismic Retrofit.</b> Voluntary seismic retrofit of existing wood-framed building. Install [specify method: cripple wall, anchor bolting/bracing, etc.] per [specify method: LADBS Standard Plan #1, Standard Plan A, Engineered Plan, CEBC Chapter 3A, FEMA P-1100 Standard Plan, or other recognized plan].	✓	✓		
<b>B7</b>	<b>Security Bar.</b> Install [specify amount] security bar(s), grill(s), grate(s), security roll down shutter(s) or similar device(s) over/at [specify location]. (Note: Cannot be installed over emergency escape window or door in sleeping room.)	✓	✓		
<b>B8</b>	<b>Repair/Replace Damaged Wood Framing.</b> Repair/Replace damaged wood framing in [specify location: floor, wall, ceiling, and/or roof]. New wood framing must be same size, spacing and location with the same or better lumber grade. Damaged repair/replacement shall not to exceed 10% of the existing wood framing.	✓	✓		
<b>B9</b>	<b>Re-Roof with Asphalt/Fiberglass Composition Shingles.</b> Composition shingles to be install over [specify: solid sheathing or a max. of 1 existing layer of composition shingles that were installed over solid sheathing]. Total [specify amount] roof square(s). Max. weight of shingles shall be 6 psf or less.	✓	✓	✓	✓
<b>B10</b>	<b>Re-Roof with Built-Up Roofing.</b> Built-up roofing with Class A or B material to be install over [specify: solid sheathing or a max. of 1 existing layer of built-up roofing that was installed over a solid sheathing]. Total [specify amount] roof square(s).	✓	✓	✓	✓
<b>B11</b>	<b>New Stucco or Re-Stucco.</b> Install new stucco over existing wood siding or wet sandblast and re-stucco. 2 layers of Grade D weather-resistive paper required with a min. 7/8" thick layer of stucco.	✓	✓	✓	✓
<b>B12</b>	<b>Change of Ownership or Contractor.</b> Change existing [specify type: owner or contractor] of record with [specify name of new individual] on permit number [specify permit number].	✓	✓	✓	✓
<b>B13</b>	<b>Complete Work Under Expired Permit.</b> Complete remaining [specify percent] of work under expired permit number [specify permit number]. [specify percent] of previous work was completed as determined by inspection dated [specify date].	✓	✓	✓	✓
<b>B14</b>	<b>Change of Address.</b> Change address on permit number [specify permit number] from [specify existing address] to [specify new address].	✓	✓	✓	✓

Description Number	EXPRESS ELECTRICAL PERMIT <sup>1</sup>	One-Family Dwellings	Two-Family Dwellings	Multi-Family Dwellings	Nonresidential Buildings
<b>E1</b>	<b>Existing Electrical Service.</b> Alter, repair or replace existing [specify size] electrical service with same size, number, type and location of existing service. (Note: Max. 600V or max. 400A.)	✓	✓	✓	
<b>E2</b>	<b>Existing Electrical Service.</b> Alter, repair or replace existing [specify size] electrical service with same size, number, type and location of existing service. (Note: Max. 600V or max. 400A. Does not cover work at hazardous location or within H occupancy building.)				✓

E3	<b>Existing Electrical Wiring.</b> Alter, repair or replace existing electrical wiring of the same size, number, type and location or proximity.	√	√	√	
E4	<b>Existing Electrical Wiring.</b> Alter, repair or replace existing electrical wiring of the same size, number, type and location or proximity. Exclude wiring that support lighting fixture(s) or control system(s).				√
E5	<b>Existing Lighting Fixture(s)/Receptacle(s).</b> Alter, repair or replace [specify amount] existing lighting fixture(s)/receptacle(s) with the same fixture/receptacle type, voltage and wattage at the same location or proximity.	√	√	√	
E6	<b>Existing Lighting Fixture(s)/Receptacle(s).</b> Alter, repair or replace [specify amount] existing lighting fixture(s)/receptacle(s), max, 10%, with the same fixture/receptacle type, voltage and wattage at the same location or proximity.				√
E7	<b>Low Voltage Electrical Wiring.</b> Install new or alter, repair or replace existing low voltage electrical wiring. Max. 120V. No penetration(s) into fire-rated assembly.	√	√	√	√
E8	<b>Meter Re-Connection or Reset.</b>	√	√	√	√
E9	<b>Temporary Power.</b> Install temporary power to a distribution panel. (Note: Max. 600V or max. 225A.)	√	√	√	
E10	<b>Temporary Power and Electrical Wiring.</b> Install temporary power to a distribution panel. Include installation of electrical wiring for [construction site, special event, carnival, trade show, movie set]. (Note: Max. 600V or max. 400A.)				√
E11	<b>New Electrical Service.</b> Install new electrical service only. (Note: Max. 600V or max. 300A.)	√	√		
E12	<b>New or Replace Electrical Subpanel.</b> Install [specify: new or replace existing] electrical subpanel. Total connected load shall not exceed 400A. (Note: Max. 600V or max 225A.)	√	√	√	
E13	<b>New Electrical Vehicle Charging Station and Supply Equipment.</b> Install [specific amount: one or two] EVCS with [specify type: Level 1 or Level 2] [specify rating: 15A, 20A, 30A, 40A, or 50A] rated EVSE located at [specify location] [specify: including a panel upgrade]. Comply with <a href="#">IB-049</a> and <a href="#">FORM-019</a> .	√	√		
E14	<b>New Electrical Vehicle Charging Station and Supply Equipment.</b> Install [specific amount: one or two] EVCS with [specify type: Level 1 or Level 2] [specify rating: 15A, 20A, 30A, 40A, or 50A] rated EVSE located at [specify location]. Comply with <a href="#">IB-049</a> and [specify form: <a href="#">FORM-037</a> or <a href="#">FORM-038</a> ].			√	√
E15	<b>New Rooftop Mounted Solar PV System.</b> Install [specify size of system kW DC, kW AC, module(s), micro-inverter(s), combiner box(es), [specify: including a panel upgrade and/or an energy storage system kWh]. Comply with <a href="#">IB-023</a> and <a href="#">FORM-016</a> .	√	√		

## FOOTNOTE:

1. Comply with all mandatory feature energy requirement contained in the 2022 Edition of the California Building Energy Efficiency Standards, CCR Title 24, Part 6 (a.k.a., California Energy Code).

Description Number	EXPRESS PLUMBING PERMIT <sup>1, 2</sup>	One-Family Dwelling	Two-Family Dwellings	Multi-Family Dwellings	Nonresidential Buildings
P1	<b>New or Re-Pipe Domestic Water.</b> Install new or re-piping of domestic water line with approved piping material.	√	√		
P2	<b>New or Adding Plumbing Fixture(s).</b> Install new or add [specify amount] plumbing fixture(s) within [specify location].	√	√		
P3	<b>Alteration of Plumbing Fixture(s).</b> Remove or replace [specify amount] existing plumbing fixture(s) of the same size, type, and location.	√	√		
P4	<b>Low-pressure steel gas piping system.</b> Install low-pressure steel gas piping system with [specify amount] outlet(s). (Note: Max. 5 outlets.)	√	√		
P5	<b>Drain System(s).</b> Alter, repair or replace existing gravity drainage system with [specify pipe size] for building drain.	√	√		
P6	<b>Sewer Cap Installation.</b> Install [specify amount] sewer cap(s) to the end of the building drain.	√	√	√	√
P7	<b>Sub-Meter(s) Installation.</b> Install [specify amount] sub-meter(s) for domestic water line.	√	√	√	√
P8	<b>Water Heater Installation.</b> Replace [specify amount] existing water heater(s) [specify size in btu/hr] with the same size, type and location. (Note: Max. 200,000 btu/hr.)	√	√	√	√
P9	<b>Sewer Alteration.</b> Alter, repair or replace existing sewer line.	√	√	√	√
P10	<b>Seismic Shut-Off Valve(s).</b> Install [specify amount] seismic shut-off valve(s) to match size of the existing gas main.	√	√	√	√
P11	<b>Meter Reset.</b> Witness test for [specify amount] gas meter(s) reset.	√	√	√	√
P12	<b>Swimming Pool Repair.</b> Replace and/or repair existing pool/spa piping (i.e. return lines, suction lines, and drains). Comply with <a href="#">IB-022</a> .	√	√		

## FOOTNOTES:

1. Comply with all mandatory feature energy requirement contained in the 2022 Edition of the California Building Energy Efficiency Standards, CCR Title 24, Part 6 (a.k.a., California Energy Code).
2. Plumbing fixtures and faucets provided shall comply with water-conserving requirement contained in the 2022 Edition of the California Plumbing Code.

Description Number	EXPRESS MECHANICAL PERMIT <sup>1, 2, 3</sup>	One-Family Dwelling	Two-Family Dwellings	Multi-Family Dwellings	Nonresidential Buildings
M1	<b>HVAC Replace.</b> Replace existing [specify size in btu/hr] HVAC unit at [specify location]. Comply with <a href="#">FORM-027</a> . (Note: Max. 60,000 btu/hr or 5 tons.)	√	√		
M2	<b>HVAC Replace.</b> Replace existing [specify amount] [specify size in btu/hr] HVAC unit(s) with the same size and type (like for like) at [specify location]. Comply with <a href="#">FORM-027</a> . (Note: Max. 60,000 btu/hr or 5 tons.)			√	√
M3	<b>HVAC Addition/Relocation.</b> Add or relocate a single [specify size in btu/hr] HVAC unit at [specify location]. Comply with <a href="#">FORM-027</a> . (Note: Max. 60,000 btu/hr or 5 tons.)	√	√		

<b>M4</b>	<b>HVAC Addition/Relocation.</b> Add or relocate [specify amount] [specify size in btu/hr] HVAC unit(s) at [specify location]. Comply with <a href="#">FORM-027</a> . (Note: Total aggregate btu/hr or ton of all units shall not exceed 60,000 btu/hr or 5 tons.)			√	
<b>M5</b>	<b>Environmental Fan Repair/Replace.</b> Repair or replace existing environmental fan(s) [specify location(s): restroom, office room, dining room, conference room, etc.] with the same cfm and static pressure rating (like for like).	√	√	√	√
<b>M6</b>	<b>Environmental Duct Alteration/Addition.</b> Alter or add environmental duct(s) at [specify fire area location or floor within the building] within existing building. (Note: Does not include work related to a smoke control system OR penetrate(s) existing fire and/or smoke rated assemblies. Max. 2,000 cfm.)			√	√
<b>M7</b>	<b>Environmental Duct Alteration/Addition.</b> Alter or add environmental duct(s) within the existing dwelling unit(s). (Note: Max. 2,000 cfm.)	√	√	√	
<b>M8</b>	<b>Gas Heater(s)/Furnace(s) Addition/Replacement.</b> Install or replace single-unit gas heater and/or vented gas furnace [specify location: wall, floor or other] within [specify: an enclosure or the attic]. (Note: Location of heater/furnace shall not obstruct or diminish min. parking stall requirement OR be within or open into a sleeping room.)	√	√		

**FOOTNOTES:**

1. Comply with all mandatory feature energy requirement contained in the 2022 Edition of the California Building Energy Efficiency Standards, CCR Title 24, Part 6 (a.k.a., California Energy Code).
2. HERS verification will be required for all heating, AC or HVAC equipment change outs, or more than 40 linear ft. ductwork new or replaced. Computer generated CF-1R will be required before any HERS verification may be performed.
3. For final city inspection, all required compliance documents and forms shall be registered with the California Energy Commission and a copy left on site.

Where two or more of the proposed scope of work are combined and constructed or installed within a 12-month period, plan review MAY be required. If a simple construction project does not qualify for the Express Permit Service, it will be necessary to submit the construction documents for plan review through the Over-the-Counter Plan Review Service or the Submitted Regular Plan Review process. Refer to [longbeach.gov/lbds/building/plan-review-service](http://longbeach.gov/lbds/building/plan-review-service) for additional information.

Application(s) and/or form(s) can be obtained at [longbeach.gov/lbds/forms](http://longbeach.gov/lbds/forms).

Information Bulletins can be obtained at [longbeach.gov/lbds/building/inspection/ib](http://longbeach.gov/lbds/building/inspection/ib).

Appointment for services can be scheduled at [longbeach.gov/appointment/permit-center](http://longbeach.gov/appointment/permit-center).

To request this information in an alternative format or to request a reasonable accommodation, please contact the Community Development Department at [longbeach.gov/lbcd](http://longbeach.gov/lbcd) and 562.570.3807. A minimum of three business days is requested to ensure availability; attempts will be made to accommodate requests with shorter notice